

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (currently amended): A device configured to control access to databases storing personal profiles by a plurality of remote entities within a telecommunication network supporting a plurality of services, the device comprising:

_____ a processor; and

_____ memory operatively coupled to the processor and storing:

_____ a first plurality of databases and interfaces for managing and centrally controlling access, from any of said remote entities to said first plurality of databases and to a second plurality of databases, wherein a first database of one of the first and second plurality of databases includes a first profile for a user and a second database of one of the first and second plurality of databases includes a second profile for the user, the first profile corresponding to a first service and the second profile corresponding to a second service different from the first service, and wherein said interfaces comprising~~comprise~~:

_____ a plurality of adapters configured to allow access to the first and second plurality of databases, wherein a first adapter of the plurality of adapters is customized to manage a first database typology and a second adapter, different from the first adapter, is customized to manage a second database typology different from the first database typology, the first database typology corresponding to the first database and the second database typology corresponding to the second database.

_____ a plurality of application interfaces configured to allow access to the first and second plurality of databases by said plurality of remote entities and configured to manage different mechanisms for accessing databases,

_____ an authentication unit configured to identify said remote entities,

_____ an authorization unit configured to authorize said remote entities to use said adapters, by verifying essential requirements and the management of a corresponding authorization to use, and

_____ an accounting unit configured to track the accesses to said first and second plurality of databases.

2 (previously presented): The device of claim 1, wherein the accounting unit tracks the accessing of the one or more first and second databases by registering each access of a database, information related to the identity of the remote entity that made the access, the access times and the data exchanged during access.

3 (previously presented): The device of claim 1, wherein the plurality of services comprises one of Voice over IP, multimedia and internet services.

4 (previously presented): The device of claim 1, wherein each of the plurality of adapters allows access to the plurality of first and second databases independently from a technology of the particular database.

5 (previously presented): The device of claim 1, wherein the access to the application interfaces corresponds to at least one of a plurality of authorizations contained in an XML descriptor.

6 (previously presented): The device of claim 1, wherein each of the interfaces allows access to one of the plurality of first and second databases via one of a trusted application interface and an untrusted application interface, wherein the trusted application interface is used when access is requested by an authorized application, and wherein the untrusted application interface is used when access is requested by an unknown application.

7 (previously presented): The device of claim 6, wherein each of the interfaces allows access to one of the plurality of first and second databases in a read mode.

8 (previously presented): The device of claim 6, wherein each of the interfaces allows access to one of the plurality of first and second databases in a write mode for entering new information.

9 (previously presented): The device of claim 6, wherein each of the interfaces allows access to one of the plurality of first and second databases in a write mode for modifying existing information.

10 (previously presented): The device of claim 6, wherein each of the interfaces allows access to one of the plurality of first and second databases in a search mode.

11 (previously presented): The device of claim 1, wherein each of the plurality of first databases includes user profile information.

12 (previously presented): The device of claim 11, wherein the user profile comprises one or more of: identity data, personal data, preference data, subscribed services and used terminal data.

13 (previously presented): The device of claim 1, wherein the plurality of first databases includes service profile information.

14 (previously presented): The device of claim 13, wherein the service profile comprises information corresponding to the configuration of services for each user.

15 (previously presented): The device of claim 1, wherein the plurality of first databases includes information corresponding to one or more terminals used in the multimedia and the telecommunication service networks.

16 (previously presented): The device of claim 15, wherein the information corresponding to the one or more terminals is stored in a generic terminal profile database, and a network terminal profile database, wherein the generic terminal profile database stores information relative to static characteristics of terminals and the network terminal profile database stores information relative to dynamic characteristics of terminals.

17 (canceled)

18 (currently amended): A method of providing a plurality of remote entities access to ~~one or more~~ a plurality of databases for storing personal profiles within a telecommunication network supporting at least one of: Voice over IP, multimedia services and internet services, and for controlling said access, the method comprising:

receiving, by an access management system, an access request from ~~any a remote entity~~ of said remote entities;

authenticating, by the access management system, said remote entity by identifying the remote entity requesting access;

providing ~~a~~-logically centralized access to said databases for storing personal profiles by a plurality of application interfaces ~~suitably~~-configured to manage different mechanisms for accessing the databases and by a plurality of adapters configured to allow access to said databases, each adapter configured to manage a corresponding database typology, wherein a first adapter of the plurality of adapters is customized to manage a first database typology of a first database storing a first user profile of the user and a second adapter, different from the first adapter, is customized to manage a second database typology different from the first database typology, wherein the second database typology corresponds to a second database storing a second user profile of the user, wherein the first and second user profiles correspond to different services; and

tracking said access by registering information related to the identity of the remote entity that effected the access.

19 (previously presented): The method as claimed in claim 18, wherein tracking said access comprises collecting information corresponding to access time and data exchanged during the access.

20 (previously presented): The method as claimed in claim 18, wherein authenticating said remote entity comprises authorizing said remote entity by verifying essential requirements and management of a corresponding authorization to use.

21 (canceled)

22 (currently amended) A non-transitory computer readable storage medium having computer executable instructions stored thereon, that when executed by a computer perform a method of providing a plurality of remote entities access to one or more databases for storing personal

profiles within a telecommunication network supporting at least one of: Voice over IP, multimedia services and internet services, and for controlling said access, the method comprising:

receiving an access request from any of said remote entities;

authenticating said remote entity by identifying the remote entity requesting access;

providing a logically centralized access to said databases for storing personal profiles by a plurality of application interfaces ~~suitably~~ configured to manage different mechanisms for accessing databases and by a plurality of adapters configured to allow access to said databases, each adapter configured to manage a corresponding database typology of a first database storing a first user profile for the user, wherein a first adapter of the plurality of adapters is customized to manage a first database typology and a second adapter, different from the first adapter, is customized to manage a second database typology different from the first database typology, wherein the second database typology corresponds to a second database storing a second user profile for the user, the first and second user profiles corresponding to different services; and

tracking said access by registering information related to the identity of the remote entity that effected the access.

23 (previously presented): The device of claim 1, wherein the second plurality of databases is located separately from the device.

24 (previously presented): The device of claim 1, wherein the first adapter is customized to manage only the first database typology and the second adapter is customized to manage only the second database typology.